

ELIGIBILITY:

All CarBravo vehicles that are less than 10 model years old and with fewer than 100,000 miles at the time of sale are inspected and reconditioned to meet our exacting standards and pass our rigorous vehicle inspection process. See below for each of the 126 points of inspection. All CarBravo vehicles will come with a Vehicle History Report (no flood/salvage/frame damage) and no open recalls.

CHECKLIST

| ENGINE | PASSED | FIXED OR REPLACED |
|---|--------|----------------------|
| 1. Key Fob/Key/Remote Start | | |
| 2. Start-Up/Idle Quality | | |
| 3. Service/Warning Lights | | |
| 4. Acceleration | | |
| TRANSMISSION | PASSED | FIXED OR REPLACED |
| 5. Shift Interlock | | |
| 6. Shift Quality | | |
| 7. 2WD/4WD/AWD | | |
| STEERING | PASSED | FIXED OR REPLACED |
| 8 . Steering Wheel Centered/ Aligned | | |
| 9. Ease of Turning | | |
| HVAC | PASSED | FIXED OR REPLACED |
| 10 . Climate Control – AC/Heat | | |
| 11. Multi-Zone | | |
| SAFETY SYSTEMS | PASSED | FIXED OR REPLACED |
| 12 . Safety Seat Systems (Safety Alert Seat, Rear Seat Reminder, Etc.)* | | |
| 13 . Camera Systems (Back Up, Rear View, Trailering, Etc.) * | | |
| 14. OnStar® Button Push and Contact With Advisor, if equipped* | | |

MAINTENANCE

| | TIENANCE | | |
|---|--|--------|----------------------|
| THE FOLLOWING MAINTENANCE PROCEDURES HAVE BEEN COMPLETED: | | | |
| | | PASSED | FIXED OR REPLACED |
| 15. | Engine Oil Changed and Filter Replaced (Reset Oil Life Monitor)* | | |
| 16. | Fill Diesel Exhaust Fluid* | | |
| 17. | Tire Rotation and Balance | | |

MAINTENANCE

| 18. | All Fluids Checked and Topped Off | | | |
|------|---|--------|----------------------|--|
| | THE FOLLOWING MAINTENANCE PROCEDURES HAVE BEEN INSPECTED AND CHECKED: | | | |
| | | PASSED | FIXED OR REPLACED | |
| 19. | Cabin Air Filter* | | | |
| 20. | Engine Air Filter | | | |
| 21. | Hoses/Clamps | | | |
| 22. | Drive/Serpentine Belt* | | | |
| 23. | Wiper Blades (Front/Back) | | | |
| ВАТТ | ERY | PASSED | FIXED OR REPLACED | |
| 24. | Battery Load Test Rating Volts | | | |
| 25. | Clean & Secure Battery Tray, Retainer, Vent Tubes | | | |

TIRES & BRAKE PADS

TIRES

- MINIMUM TIRE TREAD DEPTH REQUIRED ON ALL TIRES IS 5/32" ACROSS THE TREAD PLANE
- ALL FOUR TIRES MUST BE MATCHING BRAND, SIZE, BALANCE AND ALIGNMENT

BRAKE PADS

EACH WHEEL MUST HAVE A MINIMUM OF 5MM
 THICKNESS ON THE FRONT BRAKE PADS/SHOES
 AND 3MM THICKNESS ON THE REAR BRAKE PADS/
 SHOES USING AN APPROPRIATE MEASURING TOOL

| RIGHT FRONT:/32NDS TIRE TREAD DEPTH/MM REMAINING BRAKE PAD THICKNESS | RIGHT REAR:/32NDS TIRE TREAD DEPTH/MM REMAINING BRAKE PAD THICKNESS |
|--|---|
| | |
| LEFT FRONT:/32NDS TIRE TREAD DEPTH/MM REMAINING BRAKE PAD THICKNESS | LEFT REAR:/32NDS TIRE TREAD DEPTH/MM REMAINING BRAKE PAD THICKNESS |



UNDER VEHICLE

| | | PASSED | FIXED OR REPLACED |
|--------------------|------------------------|--------|----------------------|
| 26. Visua Leaks | l Inspection Clean, No | | |
| 27. No Er | ngine Oil Leaks | | |
| 28. No Tr | ansmission Oil Leaks | | |
| 29. Brake | e System | | |
| 30. Trans | fer Case* | | |
| 31. Axle | | | |
| 32. No Co | oolant Leaks | | |

SUSPENSION

| | | PASSED | FIXED OR REPLACED |
|-----|--|--------|----------------------|
| 33. | Control Arms | | |
| 34. | Wheel Bearings | | |
| 35. | Bushings | | |
| 36. | Springs/Sway Bars | | |
| 37. | Shock Absorbers/Struts/Air Suspension | | |
| 38. | Gear/Rack & Pinion | | |
| 39. | Tie Rod Ends | | |
| 40. | Exhaust System* | | |

ENGINE COMPARTMENT

| | PASSED | FIXED OR REPLACED |
|---------------------------------------|--------|----------------------|
| 41. Cooling System | | |
| 42 . Ignition System | | |
| 43 . AC Compressor* | | |
| 44. Vacuum System | | |
| 45 . Brake System | | |
| 46 . Engine Insulator/Blanket* | | |
| 47 . Fuel System* | | |
| 48 . Power Steering System | | |
| 49 . Check for Proper Labels & Decals | | |
| 50. Alternator* | | |
| 51. Water Pump* | | |
| 52. AC Condenser* | | |

EXTERIOR

| GLAS | SS | PASSED | FIXED OR REPLACED |
|------|--|--------|----------------------|
| 53. | Windshield/Side/Rear | | |
| 54. | Sunroof* | | |
| 55. | Mirrors | | |
| LIGH | TS | PASSED | FIXED OR REPLACED |
| 56. | Front: Headlamps/Running/ Fog/High Beam/Parking | | |
| 57. | Rear: Reverse/Brake/High Mount Stop/Side Marker/ License Plate | | |
| 58. | Turn Signals and Hazards | | |
| BOD | Y PANELS | PASSED | FIXED OR REPLACED |
| 59. | Bumper & Fascias; Front and Rear | | |
| 60. | Grille/Hood/Trunk/Roof | | |
| 61. | Emblems/Nameplates | | |
| 62. | Moldings/Appliqué | | |
| 63. | Fender Panels; Front and Rear | | |
| 64. | Doors/Door Handles | | |
| 65. | Wheels: Covers/Center Caps/Lugs/Locks | | |
| 66. | Running Boards/Side Steps* | | |
| 67. | Convertible Top* | | |
| 68. | Spare Tire/Jack/Tools/ Retractor | | |
| 69. | Liftgate/Multi-Function Liftgate (Trucks)* | | |
| 70. | Bedliner (Trucks)* | | |
| | | | |

INTERIOR

| LIGHTING | PASSED | FIXED OR REPLACED |
|-----------------------------|--------|----------------------|
| 71. Interior/Ambient | | |
| 72 . Visor/Map/Glove Box | | |
| 73. Rear Compartment/Cargo* | | |



INTERIOR

| TRIM | 1/CONTROLS | PASSED | FIXED OR REPLACED |
|------|---|--------|----------------------|
| 74. | Windows Operative (Power/ Manual) | | |
| 75. | Door Locks Operative (Power/Manual/Child Safety Lock) | | |
| 76. | Sunroof Operative (If Equipped)* | | |
| 77. | Windshield Wipers/Washer | | |
| 78. | Door/Trim/Armrest/Speaker Grilles (All) | | |
| 79. | Headliner/Pillar Trim | | |
| 80. | Sill Plate/Kick Panel | | |
| 81. | Pull/Assist Handles* | | |
| 82. | Steering Wheel Tilt/Lock Operative* | | |
| 83. | Driver's Seat Operative (Power/Manual) | | |
| 84. | Pass Seat Operative (Power/ Manual) | | |
| 85. | Driver's Seat Heat/Cooled Operative* | | |
| 86. | Pass Seat Heat/Cooled Operative* | | |
| 87. | Rear Defroster Operative* | | |
| 88. | Cruise Control Operative* | | |
| 89. | Horn | | |
| 90. | Other | | |
| 91. | Trunk/Fuel Door Releases* | | |
| 92. | Inside Rearview Mirror | | |

SAFETY TECHNOLOGY

| | | PASSED | FIXED OR REPLACED |
|-----|--|--------|----------------------|
| 93. | Airbag System | | |
| 94. | Safety Belts | | |
| 95. | Tire Pressure Monitoring System | | |
| 96. | LATCH System* | | |
| 97. | Alarm/Theft Deterrent* | | |
| 98. | All Factory-Installed Safety equipment | | |
| 99. | All Collision Avoidance Systems* | | |

INFOTAINMENT

| | PASSED | FIXED OR REPLACED |
|---|--------|----------------------|
| 100 . Bluetooth Operation* | | |
| 101. Wi-Fi Operation* | | |
| 102. USB Ports* | | |
| 103 . Telematics (OnStar*, Sync, etc.)* | | |
| 104. Clock* | | |
| 105 . Satellite Radio (SiriusXM°)* | | |

| EV PROPULSION SYSTEM (Electric Vehicles Only) | | | | |
|---|---|--------|----------------------|--|
| | | PASSED | FIXED OR REPLACED | |
| 106. | High-Voltage/Battery Cooling System | | | |
| 107. | High-Voltage Wiring | | | |
| 108. | EV Propulsion System Insulator/Blanket | | | |
| 109. | Check for Proper Labels and Decals | | | |
| 110. | Charge Port | | | |
| 111. | Charge Port Cord/Connector Electric Motor(s) | | | |
| 112. | High-Voltage Battery Inspection | | | |
| 113. | High-Voltage Charge Wiring and Connector(s) | | | |
| 114. | High-Voltage Coolant lines | | | |
| 115. | High-Voltage Power Wiring and Connector(s) | | | |
| 116. | Multiple High-Voltage Ground Straps | | | |
| 117. | EV Propulsion System Mounts | | | |
| 118. | Regen Paddle Operation | | | |
| 119. | Regen On Light Brake Pedal Application | | | |
| 120. | "L" One-Pedal Driving Mode Operation | | | |
| | | | | |

Page 3 of 5 * If equipped



DETAILING

| INTERIOR | PASSED | FIXED OR REPLACED |
|---|--------|----------------------|
| 121. Carpet/Floor Mats/ Upholstery/ Trim Panels | | |
| 122 . Glass Surfaces | | |
| 123. Trunk/Storage Compartment | | |
| EXTERIOR | PASSED | FIXED OR REPLACED |
| 124. Wash/Remove Road Tar/Oil/ Stains | | |
| 125 . Tires/Wheels Free of Dirt and Brake Dust | | |
| 126 . Recondition Surface Chips/ Scratches | | |

* If equipped Page 4 of 5



VEHICLE & INSPECTION DETAILS

| Inspection Date:/ | Stock #: | | | |
|---|--|---|--|--|
| Dealership: | Vehicle Original In-Service Date (GM | vehicles ONLY):/ | | |
| Dealership BAC: | Year: Make: _ | | | |
| Repair Order: | Model: Mileage | ə: | | |
| VIN #: | Radio ID: | | | |
| INSPECTION #: | GM reserves the right to disquent carBravo Program for failure | to meet program standards | | |
| Cross-reference this number on Repair Order(s). | history report and/or informa | based on service history files, an independent vehicle history report and/or information obtained by GM Global Warranty Management Systems. | | |
| THIS CERTIFIED INSPECTION PROCESS IS REQUIRED FOR ALL MUST BE COMPLETED. | CARBRAVO VEHICLES. ALL INSPECT | ION POINTS | | |
| I certify that this vehicle has undergone inspection and, if necessary, has Certified process. Upon final inspection, I have determined that the vehic non-compliance recall(s). | | | | |
| Required signature: | Jemenes | | | |
| Certified Technician Name/Signature: | | Date:// | | |
| The authorized Service Manager and Used Vehicle Manager sigr currently meets the requirements of the CarBravo Vehicles prog | | | | |
| Required signatures: | A Southand | | | |
| Service Manager Name/Signature: | | Date:// | | |
| Used Vehicle Manager Name/Signature: | X M Frans | Date:// | | |
| IMPORTANT: Before CarBravo vehicles are listed or sold, CarBraacknowledges that the appropriate systems have been checked understands that the recall status of any vehicle is available at a received a copy of this vehicle's report dated/ | , and that any open recalls have been | addressed. The customer | | |
| Customer Initials: Dealership Manager Initia | als: | | | |
| Customer Names/Signature: | | Date:/ | | |